

Connect
with **Finsa**

Finsa.com:
a website with all
the information

The Finsa website is a tool that allows you to quickly and intuitively consult information on our wide range of products, including technical data sheets, catalogues and availability guides. It also gives you the opportunity to find out about the nearest distributors and the latest news from Finsa and the sector. In addition, architects, designers and interior designers can find inspiration on the website, thanks to the collection of projects made with our materials.

Finsa room simulator:
compare and choose
to your liking

Making interior design decisions and advising your clients on trends has never been easier: compare different designs from our range on your screen in the Finsa Room Simulator.

How does our Room Simulator work? Thanks to the "Comparison" mode, you can display two designs in the same room configuration at the same time. The detailed view allows you to see the effect of the design on the corresponding finish. Do you need to use and share those results outside our digital generator? You can create a report with all the details of the materials sampled for each render.

Sample service:
as and when you want

Seeing is better than imagining. We can provide you with our general decorative promotool to help you discover the wide variety of our decorative surfaces. And if you want more detail to help make the final decision, our Sample Department can provide samples in DIN A4 format.

**Technical
Consultancy Support:**
we are part of your team

Finsa's Technical Consultancy team is made up of professionals with extensive experience in the area of architecture and (interior) design projects. Their job will be to accompany you during your projects to advise you on wood solutions. We can offer recommendations regarding partners who can support the execution of the work, such as specialised distributors, industrialists and installers. In addition, we work on portfolios and other tools where we compile projects that use our materials to show the applied product and inspire you in your own work.

Certifications



Finsa

finsa.com



Finsa
Design

Finsa

With over ninety years of experience, Finsa is a company that has pioneered the transformation, development and manufacture of products derived from wood. In connection with the environment, Finsa continues to work in response to the needs of the interior design and construction sector; in short, to contribute towards the creation of spaces we will be inhabiting in the coming years.

The company has made progress over the years without losing its essence, adapting to changing times, with sustainability as its core value and design as an idea for the future. The transformation process to which the raw material is subjected means that the wood does not lose its properties, but rather improves its efficiency through an industrial process based on the circular economy system.


Finsa has design embedded in its DNA not only as a fundamental part of the creation of its products, but also as one of its strong points of brand identity.

In this colour chart we incorporate the latest developments in decorative surfaces, offering a wide variety of options in decorative materials. In all these products and designs you can find a wide diversity, including more timeless surfaces and other more innovative proposals, offering great options for combinability between them, even between the different ranges.

2022 — 2024 Color Chart

Duo


Textures




More information
about the range here:



Woods



Woods



NEW New

NT New Texture

Natur Rich


G Group price

↔ Wide 1220 mm available

↔ Wide 1220 mm available in Soft III texture

+ Selection of kitchen materials

Fantasies



Unicolors

Unicolors



Studio

Registered
texture



Tango



Fado



Bolero

NEW

Deep
texture



Rock & Roll



Blues



Calypso

NEW

Bolero



475B Soana Trigo
Bolero

NEW G5



476B Soana Cognac
Bolero

NEW G5



477B Soana Oscuro
Bolero

NEW G5



474B Trinidad Silver
Bolero

NEW G5



478B Trinidad Antique
Bolero

NEW G5



479B Trinidad Dark
Bolero

NEW G5

Calypso



464B Aruba Natural
Calypso

NEW G4



461B Aruba Tostado
Calypso

NEW G4



462B Aruba Oscuro
Calypso

NEW G4



8AQ Aluminio Cava
Calypso

NEW G4



253B Titanio Tambo
Calypso

NEW G4



467B Verde Liquen
Calypso

NEW G4



466B Rojo Tassili
Calypso

NEW G4

More information
about the range here:



Fado



325B Roble Calima
Fado

G5



326B Roble Estai
Fado

G5



327B Roble Barlovento
Fado

G5



328B Roble Socaire
Fado

G5



329B Roble Bitácora
Fado

G5

Blues



354B Roble Popa
Blues

G4



355B Roble Proa
Blues

G4



357B Roble Lof
Blues

G4



358B Roble Cabo
Blues

G4



359B Roble Azimut
Blues

G4



264B Navia Natural
Blues

G4



265B Navia Brown
Blues

G4



262B Versailles Gris
Blues

G4




263B Versailles Tostado
Blues

G4



78E White SR209
Blues

G4



15R Gris Coco
Blues

G4



15Y Roble Alabama
Blues

G4



61U Roble Memphis
Blues

G4



62U Roble Chicago
Blues

G4

Rock & Roll



256B Quebec Claro
Rock & Roll

G4



257B Quebec Natural
Rock & Roll

G4



275B Montana Bruma
Rock & Roll

G4



276B Montana Cognac
Rock & Roll

G4



58U Pino Sacramento
Rock & Roll

G4



57U Roble Iguazú
Rock & Roll

G4



64U Roble Niágara
Rock & Roll

G4



11Y Pino Valkiria
Rock & Roll

G4



06Y Wild Wood
Rock & Roll


G4



07Y Copper Patina
Rock & Roll

G4

Tango



78E White SR209
Tango

G4



15R Gris Coco
Tango

G4



01Q Gris Tórtora
Tango

G4



71A Gris Gu
Tango

G4



10U Fresno Patagonia
Tango

G5



09U Fresno Pampa
Tango

G5



11U Fresno Plata
Tango

G5



08U Fresno Rosario
Tango

G5

NEW

New

NT

New
Texture

NR

Natur
Rich

G

Group
price

↔

Wide 1220 mm
available

↔*

Wide 1220 mm available
in Soft Ill texture

+


Selection of kitchen
materials

Technical Matt

More information
about the range here:



Textures




Technical Matt


Technical Matt



Blanco
Technical Matt



Gris Claro
Technical Matt



Cashmere
Technical Matt



Titán
Technical Matt



Negro
Technical Matt



Mármol Blanco
Technical Matt




Mármol Hades
Technical Matt



Verde Glencoe
Technical Matt



Azul Ceylan
Technical Matt



Sunset Terracota
Technical Matt




Topglass


More information
about the range here:



Textures




Topglass Glow




Topglass Matt


Glow



Blanco Pure
Topglass Glow




Beige
Topglass Glow




Negro
Topglass Glow




Matt



Blanco Pure
Topglass Matt



Beige
Topglass Matt



Negro
Topglass Matt



Ceniza
Topglass Matt



Gris Souris
Topglass Matt




Ideal


More information
about the range here:



Textures



Ideal Glow




Ideal Matt


Unicolors




Blanco Extra LBE
Ideal Glow




060 Blanco Polar
Ideal Glow



78E White SR209
Ideal Glow



252B Marfil Talco
Ideal Glow



15R Gris Coco
Ideal Glow



71A Gris Gu
Ideal Glow




231 Negro
Ideal Glow




Blanco Extra LBE
Ideal Matt




060 Blanco Polar
Ideal Matt



78E White SR209
Ideal Matt



252B Marfil Talco
Ideal Matt



15R Gris Coco
Ideal Matt



71A Gris Gu
Ideal Matt



231 Negro
Ideal Matt

Metallic



70A Perla
Ideal Matt



266B Champán Metalizado
Ideal Matt



8AR Bronce Sálvora
Ideal Matt



303 Gris Metalizado
Ideal Matt



8AQ Aluminio Cava
Ideal Matt



253B Titanio Tambo
Ideal Matt




Natur


More information
about the range here:



Textures



Segá



Brushed

Natural veneers



Birch



Sycamore



American maple



White beech



Ash



Valsain pine



Pine



Quarter pine



Carolina pine



Eucalyptus



Steam beech



Anegre



Chestnut



White oak



Quarter oak



American red oak



American cherry



Bosse cedar



Iroko



Didetou



Amazakoué



Quarter sapele



Crown sapele




Etimoé



American walnut



Sucupira



Wenge

Reconstituted veneers



Oak SBA



Oak Bio



Oak Grey



Zebrano 7T235




Teak ST2T297



Walnut FN321



Wenge V46/V



Ebony 2E375



Mumbai rosewood

Studio Natur

More information
about the range here:



Textures



Segá



Brushed

Organic



AJ2 Keraban Sycamore | Segá



AH6 Fresno Alba



AH5 Roble Alba



AJ6 Roble Rigato



AJ0 Olivato Barisan



AH0 Espiga Goldoni



AH9 Espiga Foscari



AH4 Nogal Merlot



AH8 Castaño Flavia



AH3 Roble Country



AF1 Roble Rústico



AF2 Roble Nature Vintage



AJ8 Roble Barisan



AJ5 Roble Antique | Segá



AJ7 Roble Original



AJ4 Nogal Arno



AF6 Eucalipto Fumed



AF4 Roble Fumed Venato



AJ3 Moanda Wood



AJ9 Nogal Barisan



Evoke



AH7 Acra Wood



AF4 Roble Fumed Trinity



AJ1 Jupiter Legno

Fibrapan Tex

More information
about the range here:



Fibrapan E-Z Tex
Flute



Fibrapan E-Z Tex
Pirámide



Fibrapan E-Z Tex
Prisma



Fibrapan E-Z Tex
Cemento



Fibrapan E-Z Tex
Mojave



Fibrapan E-Z Tex
Trama



Fibrapan E-Z Tex
Blocks



Fibrapan E-Z Tex
Fuji



Fibrapan E-Z Tex
Veta



Fibracolour Tex

More information
about the range here:



Fibracolour Black E-Z Tex
Flute



Fibracolour Black E-Z Tex
Pirámide



Fibracolour Black E-Z Tex
Prisma



Fibracolour Black E-Z Tex
Cemento



Fibracolour Black E-Z Tex
Mojave



Fibracolour Black E-Z Tex
Trama




Fibracolour Black E-Z Tex
Blocks



Fibracolour Black E-Z Tex
Fuji



Fibracolour Black E-Z Tex
Veta



Fibracolour Grey E-Z Tex
Cemento

Fibranatur Tex

More information
about the range here:



Fibranatur E-Z Tex Roble
Fuji



Fibranatur E-Z Tex Roble
Mojave



Fibranatur E-Z Tex Roble Rústico
Veta



Fibranatur E-Z Tex Nogal
Fuji



Fibranatur E-Z Tex Nogal
Mojave



Infinite Tricoya Tex

NEW

More information
about the range here:



Outdoor fiberboard



Durable

More durable, perfect for outdoor use or wet environments (indoor and outdoor).



Dimensional stability

Drastic reduction in swelling and shrinkage.



Freedom of design

All the design, machining and mounting flexibility options offered by MDF.



Ideal for coating

Its improved stability and strength will extend the life of the coating.



Fungal resistance

An effective barrier against fungus decomposition.



Low maintenance costs

Significant reduction in maintenance frequency for exterior claddings.



50-year warranty

Peace of mind with a Tricoya® warranty of 50 years above ground and 25 years on ground.



Sustainable sources

FSC® and PEFC™ certification of sustainably managed forests.



Finsa Infinite Tricoya® Tex
Fuji




Finsa Infinite Tricoya® Tex
Mojave



Finsa Infinite Tricoya® Tex
Veta



Finsa Infinite Tricoya® Tex
Trama



Finsa Infinite Tricoya® Tex
Cemento



NEW

New

NT

New
Texture

NR

Natur
Rich

G

Group
price

↔

Wide 1220 mm
available

↔

Wide 1220 mm available
in Soft III texture

+

Selection of kitchen
materials

Fibracolour

More information
about the range here:



Fibracolour Black E-Z



Fibracolour Antracite E-Z



Fibracolour Grey E-Z



Fibracolour Red E-Z



Fibracolour Blue E-Z



Fibracolour Yellow E-Z

Twincolour

More information
about the range here:



Twincolour Antracite E-Z



Twincolour Grey E-Z



Twincolour Red E-Z



Twincolour Blue E-Z



Twincolour Yellow E-Z

Greenpanel

More information
about the range here:



Greenpanel E-Z



Greenpanel Black E-Z



Duo

		Fimaplast (particle board)			Superpan Decor (special board)			Fibraplast (fibreboard)			Superpan Star Decor (special lightweight board)	Finlightplast (special lightweight board)
Quality	Thicknesses (mm)	2440x1220	2440x2100	2850x2100	2440x1220	2440x2100	2850x2100	2440x1220	2440x2100	2850x2100	2850x2100	2850x2100
Standar	3							60	60			
	4							60	60			
	5							60	60			
	6							60	60			
	8	60		30			30	60		30		
	10	60	30	30	60	30	30	60	30	30		
	12			30								
	16	46	36	36	46	36	36	46	36	36		
	18	40		32	40		32	40		32		
	19	42	28	28	42	28	28	42	32	28		
	22			24			24			24		
	25		24	24			24					
	30	26	20	20	26		20			20		
	35			16							16	
	40			12							12	
	50											12

*** Availability of boards from one unit for articles with gray background.

		Fimaplast E-Z (particle board)	Superpan Decor E-Z (special board)	Fibraplast E-Z (fibreboard)	Fibracolourplast Black E-Z (mass-coloured board)		Compacmel Plus E-Z (special high-density board)
Quality	Thicknesses (mm)	2850x2100	2850x2100	2850x2100	2440x1220	2850x2100	2850x2100
Standar E-Z	8						30**
	10	30	30	30		30	28**
	12						24**
	13						22 **
	16	36	36	36	46	36	
	19	28	28	28	42	28	
	30					20	

** Designs available in preferential service: Aluminio Arosa, Azul Eo, Amarillo Sol, Crema 005, Gris Gu, Natural Grey, Negro, Rojo, Verde Natural, White SR209 in Soft III finish.

		Fimaplast moisture resistant (particle board)			Superpan Decor moisture resistant (special board)		Fibraplast moisture resistant (fibreboard)
Quality	Thicknesses (mm)	2440x1220	2440x2100	2850x2100	2440x1220	2850x2100	2850x2100
Moisture resistant	10	60		30		30	30
	16	46	36	36	46	36	36
	18			32		32	32
	19	42	28	28	42	28	28
	30			20			30

*** Availability of boards from one unit for articles with gray background.

		Fimaplast flame retardant E-Z (particle board)	Fibraplast flame retardant E-Z (fibreboard)	Fibracolour plast Black flame retardant E-Z (mass-coloured board)	Compacmel Plus flame retardant E-Z (special high-density board)
Quality	Thicknesses (mm)	2850x2100	2440x1220	2850x2100	2850x2100
Flame retardant	8				30**
	10	30		30	
	16	36	46	36	
E-Z	18	32		32	
	19	28	42	28	28

*** Availability of boards from one unit for articles with gray background.

** Designs available in preferential service: Aluminio Arosa, Azul Eo, Amarillo Sol, Crema 005, Gris Gu, Natural Grey, Negro, Rojo, Verde Natural, White SR209 in Soft III finish.

		Finsa Infinite Tricoya® Decor* (special board)
Quality	Thicknesses (mm)	2850x2100
Tricoya	12	30
	19	28
	25	24

* Only Soft III, P,Arenado, Textil, Teide, Atlas, Nude, Boreal y Segá finishes.

Our EZ products are low formaldehyde emitting (0.05 ppm according to EN 717-1) and have a Certificate of Compliance with US EPA TSCA Title VI and CARB Phase 2 formaldehyde emission requirements and CARB phase 2 formaldehyde emission.

Studio

		Superpan Decor (special board)	Fibraplast (fibreboard)
Quality	Thicknesses (mm)	2850x2100	2850x2100
Standar	6		60
	10	30	30
	16	36	36
	19	28	28
	22	24	
	30	20	20

*** Availability of boards from one unit for articles with gray background.

Ideal

		Fibraplast E-Z (fibreboard)
Quality	Thicknesses (mm)	2800x1220
Standar E-Z	18	20

*** Availability of boards from one unit for articles with gray background.

Technical Matt

		Superpan Plus E-Z (special board)
Quality	Thicknesses (mm)	3050x1220
Standar E-Z	19	20
	22	20

*** Availability of boards from one unit for articles with gray background.

Topglass

		Superpan E-Z (special board)
Quality	Thicknesses (mm)	2800x1300
Standar E-Z	18	10

*** Availability of boards from one unit for articles with gray background.

Lam

		Finsa Infinite Tricoya® Lam (special board)
Quality	Thicknesses (mm)	3050x1220
Tricoya	12	30**
	15	25**
	18	20**

*** Availability of boards from one unit for articles with gray background.

** Designs available: Blanco EXT, Gris EXT, Negro EXT

Our EZ products are low formaldehyde emitting (0.05 ppm according to EN 717-1) and have a Certificate of Compliance with US EPA TSCA Title VI and CARB Phase 2 formaldehyde emission requirements and CARB phase 2 formaldehyde emission.

Natur

		Fimanatur (particle board)			Fibranatur (fibreboard)			Finplynatur (veneer po- plar board)	Superpan Star Natur (special board)	Finlight Natur (special board)
Quality	Thicknesses (mm)	2440x1220	3050x1220	2850x2100	2440x1220	3050x1220	2850x2100	2500x1220	2850x2100	2850x2100
Standar	4				30					
	5							30		
	6				30	30				
	9	24			24			24		
	11	24	24	24	24	24	24			
	13				24	24				
	16	24	24	24	24	24	24	24		
	19	24	24	24	24	24	24	24		
	26				18	18				
	31	18		18	18	18	18			
	36								16	16
	39									16
	41	18			18	18			12	12
	51									12

***Availability of boards from one unit for articles with gray background.

		Fibranatur E-Z (fibreboard)	Fibracolour Black Natur E-Z (mass-coloured board)		
Quality	Thicknesses (mm)	3050x1220	2440x1220	3050x1220	2850x2100
Standar E-Z	11		24		
	13			24	
	19	24	24	24	
	20				24
	41	18			

***Availability of boards from one unit for articles with gray background.

		Fibranatur flame retardant E-Z (fibreboard)		Fibracolour flame retardant Black Natur E-Z (mass-coloured board)
Quality	Thicknesses (mm)	2440x1220	3050x1220	2850x2100
Flame retardant E-Z	11	24	24	
	16	24	24	
	19	24	24	
	20			24
	31	18		

***Availability of boards from one unit for articles with gray background.

		Fimanatur moisture resistant (particle board)	Fibranatur moisture resistant (fibreboard)	
Quality	Thicknesses (mm)	2440x1220	2440x1220	3050x1220
Moisture resistant	10			
	11	24	24	
	13			
	16		24	
	17	24		
	19		24	24
	20	24		

***Availability of boards from one unit for articles with gray background.

***Preferred Offer: Only 3050x1220 mm format and Quality 035/(037 or various) sheets and Quality 031 reconstituted sheets. Multiples of two boards.

Multispecies Pallet: Several Natur and Studio Natur veneers can be combined as long as it is the same support, format and finish, except Natur Vintage Oak, Original Oak and Antique Oak.

Our EZ products are low formaldehyde emitting (0.05 ppm according to EN 717-1) and have a Certificate of Compliance with US EPA TSCA Title VI and CARB Phase 2 formaldehyde emission requirements and CARB phase 2 formaldehyde emission.

Studio Natur

		Fimanatur (particle board)		Fibranatur (fibreboard)		Finplynatur (veneer poplar board)
Quality	Thicknesses (mm)	2440x1220	3050x1220	2440x1220	3050x1220	2500x1220
Standar	4			30		
	5					30
	6			30	30	
	9	24		24		24
	11	24	24	24	24	
	13			24	24	
	16	24	24	24	24	24
	19	24	24	24	24	24
	26			18	18	
	31	18		18	18	
	41	18		18	18	

***Availability of boards from one unit for articles with gray background.

		Fibranatur E-Z (fibreboard)	Fibracolor Black Natur E-Z (mass-coloured board)	
Quality	Thicknesses (mm)	3050x1220	2440x1220	3050x1220
Standar E-Z	11		24	
	13			24
	19	24	24	24
	41	18		

***Availability of boards from one unit for articles with gray background.

		Fibranatur flame retardant E-Z (mass-coloured board)	
Quality	Thicknesses (mm)	2440x1220	3050x1220
Flame retardant E-Z	11	24	24
	16	24	24
	19	24	24
	31	18	

***Availability of boards from one unit for articles with gray background.

		Fimanatur moisture resistant (particle board)	Fibranatur moisture resistant (fibreboard)	
Quality	Thicknesses (mm)	2440x1220	2440x1220	3050x1220
Moisture resistant	10			
	11	24	24	
	13			
	16		24	
	17	24		
	19		24	24
	20	24		

***Availability of boards from one unit for articles with gray background.

***Preferred Offer: Only 3050x1220 mm format and Quality 035/(037 or various) sheets and Quality 031 reconstituted sheets. Multiples of two boards.

Multispecies Pallet: Several Natur and Studio Natur veneers can be combined as long as it is the same support, format and finish, except Natur Vintage Oak, Original Oak and Antique Oak.

Our EZ products are low formaldehyde emitting (0.05 ppm according to EN 717-1) and have a Certificate of Compliance with US EPA TSCA Title VI and CARB Phase 2 formaldehyde emission requirements and CARB phase 2 formaldehyde emission.

Fibracolour Tex

			Fibracolour Black E-Z Tex									Fibracolour Grey E-Z Tex
Quality	Thicknesses (mm)	Format	Cemento	Blocks	Fuji	Mojave	Prisma	Trama	Veta	Flute	Pirámide	Cemento
Standar	19	2800x1220	20	20	20	20	20	20	20	20	20	20

*** Availability of boards from one unit for articles with gray background.

Fibrapan Tex

			Fibrapan E-Z Tex								
Quality	Thicknesses (mm)	Format	Cemento	Blocks	Fuji	Mojave	Prisma	Trama	Veta	Flute	Pirámide
Standar	19	2800x1220	20	20	20	20	20	20	20	20	20
	22	2800x1220	12		12				12		

*** Availability of boards from one unit for articles with gray background.

Fibranatur Tex

			Fibranatur E-Z Tex				
Quality	Thicknesses (mm)	Format	Nogal Fuji	Nogal Mojave	Roble Fuji	Roble Mojave	Roble Rústico Veta
Standar	19	3000x1220	20	20	20	20	20

*** Availability of boards from one unit for articles with gray background.

Infinite Tricoya Tex

			Infinite Tricoya Tex				
Quality	Thicknesses (mm)	Format	Cemento	Fuji	Mojave	Trama	Veta
Standar	18	3000x1220	20	20	20	20	20

*** Availability of boards from one unit for articles with gray background.

Fibracolour

		Black E-Z			Antracite E-Z	Yellow E-Z	Blue E-Z	Grey E-Z	Red E-Z
Quality	Thicknesses (mm)	2440x1220	3050x1220	2850x2100	2850x2100	2850x2100	2850x2100	2850x2100	2850x2100
Standar	3			180					
	8			72					
	10	70		56	28	28	28	28	28
	12		60						
	16	46		36					
	18	40	40						
	19	42		28	14	14	14	14	14
	25			24					
	30			20					

Flame retardant	16			36					
	19			28					

*** Availability of boards from one unit for articles with gray background.

Twincolour

		Antracite E-Z	Yellow E-Z	Blue E-Z	Grey E-Z	Red E-Z
Quality	Thicknesses (mm)	2850x2100	2850x2100	2850x2100	2850x2100	2850x2100
Standar	16	12	12	12	12	12

*** Availability of boards from one unit for articles with gray background.

Greenpanel

		Greenpanel E-Z	Greenpanel Black E-Z
Quality	Thicknesses (mm)	2850x2100	2850x2100
Standar	28	25	
	38	18	18
	50	14	
	60	12	

*** Availability of boards from one unit for articles with gray background.