

Finsa

Finsa Design

Collection	Range	Designs	Ref. number	Maximum order per reference	Substrates	Measurements (mm)	Thicknesses (mm)		
Decorative surfaces	Duo	020 Blanco Medio Liso	3	6 packs	FimaPan® Decor	2440 x 1220	10, 16, 19		
			3		FimaPan® Decor H	2850 x 2100	10, 16, 19		
			2		FimaPan® Decor H	2440 x 1220	16, 19		
			3		SuperPan® Decor	2440 x 1220	10, 16, 19		
		3	SuperPan® Decor		2850 x 2100	10, 16, 19			
		3	FimaPan® Decor		2440 x 1220	10, 16, 19			
		3	FimaPan® Decor		2850 x 2100	10, 16, 19			
		2	FimaPan® Decor H		2440 x 1220	16, 19			
		2	FimaPan® Decor H		2850 x 2100	16, 19			
		3	SuperPan® Decor		2440 x 1220	10, 16, 19			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		2	FimaPan® Decor		2850 x 2100	16, 19			
		2	FimaPan® Decor H		2850 x 2100	16, 19			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		3	FimaPan® Decor		2850 x 2100	10, 16, 19			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		2	FimaPan® Decor		2850 x 2100	16, 19			
		1	FimaPan® Decor		2850 x 2100	16, 19			
		1	FimaPan® Decor		2850 x 2100	16			
		2	FimaPan® Decor H		2850 x 2100	16			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		3	FimaPan® Decor		2440 x 1220	16, 19			
		3	FimaPan® Decor		2850 x 2100	10, 16, 19			
		3	SuperPan® Decor		2440 x 1220	10, 16, 19			
		3	SuperPan® Decor		2850 x 2100	10, 16, 19			
		3	FimaPan® Decor		2850 x 2100	10, 16, 19			
		2	FimaPan® Decor H		2440 x 1220	16, 19			
		2	FimaPan® Decor H		2850 x 2100	16, 19			
		2	SuperPan® Decor		2440 x 1220	16, 19			
		4	SuperPan® Decor		2850 x 2100	10, 16, 18, 19			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		2	SuperPan® Decor H		2850 x 2100	16, 19			
		2	SuperPan® Decor H		2850 x 2100	16, 19			
		3	FimaPan® Decor		2440 x 1220	10, 16, 19			
		3	FimaPan® Decor		2850 x 2100	10, 16, 19			
		2	SuperPan® Decor		2850 x 2100	16, 19			
		All designs in this range			238	3 packs	FimaPan® Decor	2850 x 2100	19
		Studio	All designs in this range		45	3 packs	SuperPan® Decor	2850 x 2100	19
L100	All designs in this range	4	3 packs	SuperPan® EZ Decor	2850 x 2100	19			
Solid	All designs in this range	8	3 packs	SuperPan® EZ Decor	2850 x 1220	18			
Technical Matt	All designs in this range	12	3 packs	SuperPan® EZ Decor	2850 x 1220	19			
Topglass	All designs in this range	5	3 packs	SuperPan® EZ Decor	2850 x 1220	19			
Grip	All designs in this range	4	3 packs	SuperPan® EZ Decor	2850 x 1220	16			
		4	3 packs	SuperPan® H EZ Decor	2850 x 1220	16			
Fabric	All designs in this range	3	3 packs	FimaPan® Decor	2440 x 1220	10, 16, 19			
		3		SuperPan® Decor	2850 x 2100	10, 16, 19			
		2		SuperPan® Decor	2850 x 2100	16, 19			

Collection	Range	Designs	Ref. number	Maximum order per reference	Brackets	Measurements (mm)	Thicknesses (mm)
Natural decorative surfaces	Natur	All veneers quality 035/037	20	3 packs	FibraPan® EZ Natur	3050 x 1220	19
		AM8 Roble Mallado 035/037 and A21 Roble 035/037	6		FibraPan® EZ Natur	2440 x 1220	11, 16, 19
		AM8 Roble Mallado 035/037 and A21 Roble 035/037	4		FibraPan® EZ Natur	3050 x 1220	11, 16
	Studio Natur	All veneers quality 033/037	15		FibraPan® EZ Natur	3050 x 1220	19
	Sense Natur	All designs in this range	11		SuperPan® EZ Sense Natur	3050 x 1220	19

Collection	Range	Designs	Ref. number	Maximum order per reference	Brackets	Measurements (mm)	Thicknesses (mm)
Textured panels	FibraPan® Tex	All textures	8	3 packs	FibraPan® EZ	2800 x 1220	19
	FibraPan® Natur Tex	All designs in this range	9		FibraPan® EZ Natur	3000 x 1220	19

Collection	Range	Designs	Ref. number	Maximum order per reference	Brackets	Measurements (mm)	Thicknesses (mm)
Decorative Boards	CompacDecor®	All designs in this range	5	3 packs	CompacDecor® EZ	2850 x 2100	13
		All colours in this range	6		FibraColour® EZ	2850 x 2100	19
	FibraColour®	Black	1		FibraColour® EZ	2850 x 2100	16
		Black	1		FibraColour® H EZ	2850 x 2100	19
		Black	1		FibraColour® IGN EZ	2850 x 2100	19
		GreenPanel®	3		GreenPanel® EZ	2850 x 2100	28, 38, 50
	GreenPanel®	GreenPanel® Black	1		GreenPanel® Black EZ	2850 x 2100	38

Accessories

Collection	Ranges		Ref. number	Edgebanding	Laminates	Add-ons in sheets	Finflex	Screw caps	Repair pencil	
Decorative surfaces	Duo	-	248	ABS Edgebanding 0.8 mm widths 23/33/44 from 1 roll 90 ml	3050x1300x0.7 mm from 1 unit			Screw cap kit from 1 unit		
	Studio	-	45	ABS Edgebanding 0.8 mm widths 23/33/44 from 1 roll 90 ml	2800x2050x0.7 mm from 1 unit			Screw cap kit from 1 unit		
	L100	-	4	ABS Edgebanding 0.8 mm width 23 from 1 roll 90 ml	3050x1300x0.7 mm from 1 unit			Screw cap kit from 1 unit		
	Solid	Solid Matt		5	ABS Edgebanding 0.8 mm width 23 from 1 roll 90 ml		Solid Matt Sheet 2850x1230x0.2 mm from 1 unit			
		Solid Gloss		3	ABS Edgebanding 0.8 mm width 23 from 1 roll 90 ml		Solid Glow Sheet 2850x1230x0.25 mm from 1 unit			
	Technical Matt	-	12	ABS Edgebanding 0.8 mm width 23 from 1 roll 90 ml	3050x1300x0.7 mm from 1 unit					
	Topglass	-	5	Acrylic Edgebanding 1 mm width 23 from 1 roll 90 ml		Topglass Sheet 2850x1220x2 mm from 1 unit				
	Grip	-	4	ABS Edgebanding 0.8 mm width 23 mm from 1 roll 90 ml		Grip Sheet 2850x1230x1 mm from 1 unit				
Fabric		Linum	5	Aluminium profile T and H length 2800 mm from 1 profile		Linum Sheet 2850x1230x0.2 mm from 1 unit				
		Suede	5	Aluminium profile T and H length 2800 mm from 1 profile		Suede Sheet 2850x1230x0.2 mm from 1 unit				
		Pelle	8	Aluminium profile T and H length 2800 mm from 1 profile		Pelle Sheet 2850x123x0.35 mm from 1 unit				
Natural Decorative Surfaces	Natur	-	20	Edge banding 1 mm width 23 mm from 1 roll 100 ml			Finflex Sheet 035 2500x1240x0.7 mm from 1 unit			
	Studio Natur	-	15	Edge banding 1 mm width 23 mm from 1 roll 100 ml			Finflex Sheet 033 3050x1240x0.7 mm from 1 unit			
	Sense Natur	Basic	3	Varnished veneer edgebanding 0.5 mm width 23 mm from 1 roll 100 ml ABS edgebanding 0.8 mm width 23 mm from 1 roll 90 ml					Touch-up marker pen from 1 unit	
		Premium	8	Varnished veneer edgebanding 0.5 mm width 23 mm from 1 roll 100 ml ABS edgebanding 0.8 mm width 23 mm from 1 roll 90 ml					Touch-up marker pen from 1 unit	
Textured panels	FibraPan® Tex	-	8	Aluminium profile T and H length 2800 mm from 1 box = 15 profiles						
	FibraPan® Natur Tex	-	9	Aluminium profile T and H length 2800 mm from 1 box = 15 profiles Veneer edgebanding 1 mm width 23 mm from 1 roll 100 ml						
Decorative Boards	CompacDecor®	-	5	ABS Edgebanding 0.8 mm (Duo) widths 23/33/44 from 1 roll 90 ml	3050x1300x0.7 mm from 1 unit			Screw caps 0.2 mm (Duo) from 1 unit		
	FibraColour®	-	8							
	GreenPanel®	-	2							

**Finsa
Tech**

Collection	Model	Measurements (mm)	Thicknesses (mm)	Maximum order per reference
Fibreboards	FibraPan® EZ (thin MDF)	2440 x 1220	3, 5	6 packs
	FibraPan® EZ (medium MDF)	2440 x 1220	10, 16, 19, 22, 30	
		2850 x 2100	10, 16, 19, 22, 30	
		3660 x 2100	10, 16, 19, 22, 30	
	FibraPan® EZ (thick MDF)	2440 x 1220	40	
		2440 x 2050	40, 50	
	FibraPan® H EZ	2440 x 1220	10, 16, 19, 30	
		2850 x 2100	10, 16, 19	
		3660 x 2100	10, 16, 19	
	FibraPan® IGN EZ	2440 x 1220	10, 16, 19	3 packs
2850 x 2100		16, 19		
3660 x 2100		10, 16, 19		
FibraPan® Lac EZ	2440 x 1220	16, 19	6 packs	
	3660 x 2100	16, 19, 22		
Low-density boards	FinLight®	2850 x 2100	35, 40, 50	
SuperPan®	SuperPan® Tech P5 EZ SA	2500 x 1250	15, 18	3 packs
	SuperPan® Star	2850 x 2100	35	

Service programme

Finsa Tech

[Fibreboards](#)
[Particle boards](#)
[SuperPan®](#)
[Infinite Tricoya®](#)
[Low-density board](#)

Finsa Design

[D - Decorative Surfaces](#)
[N - Natural Decorative Surfaces](#)
[T - Textured Boards](#)
[P - Decorative Boards](#)

Finsa Process

[Countertops](#)
[Modules](#)

This is an interactive PDF



Finsa Tech

Technical wood

FibraPan® (thin MDF)

Quality	Formats (mm)	Thicknesses (mm)					
		2	2.5	3	4	5	6
FibraPan® EZ	2440x1220	360	288	240	192	144	120
	2440x2100			180	144	120	90
FibraPan® EZ SL	2440x1220		288	240			
FibraPan® PI EZ	2050x0640			240		144	
	2050x0740			240		144	
	2050x0840			240		144	
	2050x0940			240		144	
	2150x0740			240		144	
	2150x0840			240		144	
FibraPan® H EZ	2440x1220						120
	2850x2100						90
FibraPan® IGN EZ	2850x2100						90

*** White background PS4 service; grey background PS5 service

FibraPan® (medium MDF)

Quality	Formats (mm)	Thicknesses (mm)												
		7	8	9	10	12	15	16	18	19	22	25	29	30
FibraPan® EZ	2440x1220	112	90	80	60	60	50	46	40	42	30	30		25
	2440x2100	72			56			36		28		24		20
	2850x2100		72		56	46	50	36	32	28	24	24		20
	3660x2100				40	32		24	21	20	18	16		13
	3660x2440										12	12		10
FibraPan® H EZ	2440x1220			80	60	60	50	46	40	42	30	30		25
	2440x2100							36		28				20
	2850x2100		72		56	46		36	32	28	24	24		20
	3050x1220								40					
	3660x2100				40	32		24		20	18			
FibraPan® IGN EZ	2440x1220				60	60		46	40	42				25
	2850x2100				56			36		28		24		20
	3050x1220					60	50		40					
	3660x2100				40			24		20				
FibraPan® Lac EZ	2440x1220							46	40	42				
	2440x2100							36		28				
	2850x2100									28	24			20
	3660x2100				40			24		20	18	16		
FibraPan® Lac Plus EZ	2850x2100						36		28	24				
FibraPan® IGN EZ SC	2850x2100					46	36		28					
FibraPan® H IGN EZ	2850x2100									28				
	3050x1220								40					
FibraPan® Forma EZ	2440x1220			80		60	50		40					
	3050x1220								40					
Mediland M1 EZ	3660x2070				40			26		22				13
FibraPan® 300	2850x2100												20	

*** White background PS4 service; grey background PS5 service

FibraPan® (medium MDF)

Quality	Formats (mm)	Thicknesses (mm)				
		8	9	10	18	19
FibraPan® Form EZ	2850x1030	35		35		
	3050x1220			35		
FibraPan® Form TRV EZ	2850x1030	35		35		
	3050x1220			35		
FibraPan® Bio	2440x1220				40	
	3050x1220				40	
	2850x2100					32

*** White background PS4 service; grey background PS5 service

FibraPan® (thick MDF)

Quality	Formats (mm)	Thicknesses (mm)									
		32	34	35	38	40	45	50	55	60	70
FibraPan® EZ	2440x1220			20	20	18	15	15		12	12
	2440x2050			16		12	12	12		10	
	2440x2090			16		12		12		10	
	3660x2440			8		6	6	6	6	6	6
	3050x1220					18		15			
FibraPan® H EZ	2440x1220					18		15			
	2440x2050			16		12					
	2440x2090			16							
FibraPan® Mouldings EZ	3660x2070			12							
FibraPan® 300	2850x2100	16	16								
FibraPan® 400 EZ	2440x2050					12					
	2850x2100				16			12			

*** White background PS4 service; grey background PS5 service

Compac®

Quality	Formats	Thicknesses (mm)
		13
Compac® EZ	2850x2100	22

*** White background PS4 service; grey background PS5 service

FimaPan®

Quality	Formats (mm)	Thicknesses (mm)											
		8	10	12	15	16	18	19	22	25	30	35	40
FimaPan® EZ	2440x1220	90	60	60	50	46	40	42		30	26		18
	2440x2100					36		28					
	3050x1220				50		40						
	2850x2100	72	56	46		36	32	28	24	24	20	16	12
	3660x2100		40			24		20	18		13		
	3050x1300						40						
FimaPan® H EZ	2440x1220		60			46		42	30		26		
	2850x2100					36		28					
	3660x2100					24		20					
	3050x1300						40						
FimaPan® IGN EZ	2850x2100					36	32	28					
	3050x1220						40						
FimaPan® Bio	2850x2100					36		28					
FimaPan® Bio Hyb	2850x2100					36							

*** White background PS4 service; grey background PS5 service

SuperPan®

Quality	Formats (mm)	Thicknesses (mm)											
		8	10	12	15	16	18	19	25	30	35	40	44
SuperPan® EZ	2440x1220					46		42					
	2850x2100	72	56	46	36	36	32	28	24	20			
	3050x1220			60			40						
	3660x2100					24		20					
SuperPan® H EZ	2850x2100					36							
SuperPan® Star	2850x2100								20	16	12	12	
SuperPan® IGN EZ	2850x2100		56			36		28					
	3050x1220						40						
SuperPan® Evo EZ	2850x1220							42					
SuperPan® Deck H	3660x1830			32									

*** White background PS4 service; grey background PS5 service

SuperPan® Tech

Quality	Formats (mm)	Thicknesses (mm)							
		12	15	16	18	19	25	30	38
SuperPan® Tech P4 EZ TG2L+	2400x900							27	
SuperPan® Tech P4 EZ TG4+	2400x900							27	
SuperPan® Tech P6 EZ TG2L+	2400x590								26
SuperPan® Tech P6 EZ TG4+	2400x590								26
SuperPan® Tech P5 EZ SA	2500x1250	60	50		40				
	2510x1210						30		
SuperPan® Tech P5 EZ SA TG4	2040x800			60		50			
	2500x1200						30		
SuperPan® Vapourstop EZ	2500x1250	60	50		40				
SuperPan® Tech P4 EZ Decor TG2 L+ Gris I AD Blanco Super	2400x900							27	
SuperPan® Tech P4 EZ Decor TG4+ Gris I AD Blanco Super	2400x900							27	
SuperPan® Tech P6 EZ Decor TG2 L+ Blanco Super 1C	2400x590								26
SuperPan® Tech P6 EZ Decor TG2 L+ Gris I AD Blanco Super	2400x590								26
SuperPan® Tech P6 EZ Decor TG4+ Blanco Super 1C	2400x590								26
SuperPan® Tech P6 EZ Decor TG4+ Gris I AD Blanco Super	2400x590								26

*** White background PS4 service; grey background PS5 service

Infinite Tricoya®

Quality	Formats (mm)	Thicknesses (mm)								
		3	4	6	9	12	15	18	19	25
Infinite Tricoya®	2440x1220				104		62	52		
	2850x2100					30			28	24
	3050x1220					60	50	40		
	3050x2200	120	96	64						

*** Availability of boards from one unit for all items in red

*** White background PS4 service; grey background PS5 service

FinLight®

Quality	Formats (mm)	Thicknesses (mm)				
		35	38	40	50	60
FinLight® (faces 3mm)	2850x2100	16	16	12	12	
FinLight® (faces 6mm)	2850x2100					10

*** White background PS4 service; grey background PS5 service

Finsa Design

Decorative materials

Duo

Quality	Thickness (mm)	FimaPan® Decor (particle board)		SuperPan® Decor (special board)		FibraPan® Decor (fibreboard)		FinLight® Decor (*) (special lightweight board)	FimaPan® Decor Four Stars (particle board)
		2440x1220	2850x2100	2440x1220	2850x2100	2440x1220	2850x2100	2850x2100	2850x2100
Standard	3					60	60		
	4					60	60		
	8	60	30		30				30
	10	60	30	60	30				
	12		30						
	16	46	28	46	28				
	18	40	24	40	24				24
	19	42	24	42	24				
	22		24		24				
	25	24	20		20				20
	30	26	16	26	16				
	35		16						
	38				16				
	40		12						
	45							15	
	50							15	
60							15		

(*) FinLight Decor, possible with FibraPan 8 mm or FimaPan 8 mm faces.

Quality	Thickness (mm)	FimaPan® EZ Decor (particle board)		SuperPan® EZ Decor (special board)		FibraPan® EZ Decor (fibreboard)		FibraColour® Black EZ Decor (mass-coloured board)	
		2440x1220	2850x2100	2440x1220	2850x2100	2440x1220	2850x2100	2440x1220	2850x2100
EZ Standard	5					60	60		
	6					60	60		
	8	60	30		30	60			
	10	60	30	60	30	60	30		30
	12		30						
	16	46	28	46	28	46	28	36	28
	18	40	24	40	24	40	24		
	19	42	24	42	24	42	24	28	24
	22		24		24		24		
	25	24	20		20				
	30	26	16	26	16		16		16
	35		16						
	38				16				
	40		12						

Quality	Thickness (mm)	FimaPan® Decor Hidrófugo (particle board)		SuperPan® Decor Hidrófugo (special board)	
		2440x1220	2850x2100	2440x1220	2850x2100
Moisture-resistant	10	30	30		30
	15		28		
	16	36	28	36	28
	18		24		24
	19	28	24	28	24
	30		16		

Quality	Thickness (mm)	FimaPan® Decor Hidrófugo EZ (particle board)		FimaPan® Decor Hidrófugo EZ SC (dye-free particle board)	FibraPan® Decor Hidrófugo EZ (fibreboard)	SuperPan® Decor EZ Hidrófugo (special board)	
		2440x1220	2850x2100	2850x2100	2850x2100	2440x1220	2850x2100
Moisture-resistant EZ	8			30			
	10	30	30		30		30
	15		28				
	16	36	28		28	36	28
	18		24	24	24		24
	19	28	24		24	28	24
	25			20			
	30		16			16	

Availability of boards from one unit for items with grey background only for the preferred design combination.

Our particle based decorative surfaces are low formaldehyde emitting (< 0.05 ppm according to EN 717-1). Additionally, our EZ products are also low in formaldehyde emissions (<0.05 ppm according to EN 717-1) and have a Certificate of Conformity for compliance with the requirements of the US EPA TSCA Title VI and CARB Phase 2 for formaldehyde emissions.

Duo

		FimaPan® Decor Ignífugo EZ (particle board)	SuperPan® Ignífugo EZ (special board)	FibraPan® Decor Ignífugo EZ (fibreboard)	FibraColour® Black Decor Ignífugo EZ (mass-coloured board)
Quality	Thickness (mm)	2850x2100	2850x2100	2850x2100	2850x2100
Fire-retardant EZ	8				
	10	30		30	30
	16	28	28	28	28
	18	24		24	
	19	24	24	24	24

		FibraPan® Decor Hidrófugo Ignífugo EZ (fibreboard)
Quality	Thickness (mm)	2850x2100
Moisture-resistant Fire-retardant EZ	19	24

Studio

		FimaPan® Decor (particle board)	SuperPan® Decor (special board)	FinLight® Decor (special lightweight board)	FimaPan® Decor Four Stars (particle board)
Quality	Thickness (mm)	2850x2100	2850x2100	2850x2100	2850x2100
Standard	8	30	30		30
	10	30	30		
	12	30			
	16	28	28		
	18	24	24		24
	19	24	24		
	22	24	24		
	25	20	20		20
	30	16	16		
	35	16			
	38		16		
	40	12			
	45			15	
	50			15	
60			15		

		FimaPan® Decor EZ (particle board)	SuperPan® Decor EZ (special board)	FibraPan® Decor EZ (fibreboard)	FibraColour® Black Decor EZ (mass-coloured board)
Quality	Thickness (mm)	2850x2100	2850x2100	2850x2100	2850x2100
EZ Standard	8	30	30		
	10	30	30	30	30
	12	30			
	16	28	28	28	28
	18	24	24	24	
	19	24	24	24	24
	22	24	24	24	
	25	20	20		
	30	16	16	16	16
	35	16			
	38		16		
40	12				

Availability of boards from one unit for items with grey background only for the preferred design combination.

Our particle based decorative surfaces are low formaldehyde emitting (< 0.05 ppm according to EN 717-1). Additionally, our EZ products are also low in formaldehyde emissions (<0.05 ppm according to EN 717-1) and have a Certificate of Conformity for compliance with the requirements of the US EPA TSCA Title VI and CARB Phase 2 for formaldehyde emissions.

Studio

Quality	Thickness (mm)	FimaPan® Decor Hidrófugo (particle board)	SuperPan® Decor Hidrófugo (special board)
		2850x2100	2850x2100
Moisture-resistant	10	30	30
	15	28	
	16	28	28
	18	24	24
	19	24	24
	30	16	

Quality	Thickness (mm)	FimaPan® Decor Hidrófugo EZ (particle board)		FimaPan® Decor Hidrófugo EZ SC (dye-free particle board)	FibraPan® Decor Hidrófugo EZ (fibreboard)	SuperPan® Decor EZ Hidrófugo (special board)	
		2440x1220	2850x2100	2850x2100	2850x2100	2440x1220	2850x2100
Moisture-resistant EZ	8			30			
	10	30	30		30		30
	15		28				
	16	36	28		28	36	28
	18		24	24	24		24
	19	28	24		24	28	24
	25			20			
	30		16		16		

Quality	Thickness (mm)	FimaPan® Decor Ignífugo EZ (particle board)	SuperPan® Ignífugo EZ (special board)	FibraPan® Decor Ignífugo EZ (fibreboard)	FibraColour® Black Decor Ignífugo EZ (mass-coloured board)
		2850x2100	2850x2100	2850x2100	2850x2100
Fire-retardant EZ	8				
	10	30		30	30
	16	28	28	28	28
	18	24		24	
	19	24	24	24	24

Quality	Thickness (mm)	FibraPan® Decor Hidrófugo Ignífugo EZ (fibreboard)
		2850x2100
Moisture-resistant Fire-retardant EZ	19	24

Availability of boards from one unit for items with grey background only for the preferred design combination.

Topglass

		SuperPan® EZ Topglass (special board)
Quality	Thickness (mm)	2850x1220
EZ Standard	19	20

Availability of boards from one unit for items with a grey background.

Technical Matt

		SuperPan® Plus EZ Technical Matt (special board)
Quality	Thickness (mm)	2850x1220
Plus EZ	19	20

Availability of boards from one unit for items with a grey background.

Solid

		SuperPan® EZ Solid (special board)
Quality	Thickness (mm)	2850x1220
EZ Standard	18	20

Availability of boards from one unit for items with a grey background. Available designs: Blanco Cuarzo Solid Glow and Black Onix Solid Matt.

L100

		SuperPan® Decor EZ (special board)
Quality	Thickness (mm)	2850x2100
EZ Standard	16	28
	18	24
	19	24

Availability of boards from one unit for items with a grey background.

Fabric

		SuperPan® EZ Fabric (special board)
Quality	Thickness (mm)	2850x1220
EZ Standard	18	20

Availability of boards from one unit for items with a grey background.

Grip

		SuperPan® EZ Grip (special board)
Quality	Thickness (mm)	2850x1220
EZ Standard	16	20

		SuperPan® Hidrófugo EZ Grip (special board)
Quality	Thickness (mm)	2850x1220
Moisture-resistant EZ	16	20

Availability of boards from one unit for items with a grey background.

Availability of boards from one unit for items with grey background only for the preferred design combination.

Natur

		FimaPan® Natur EZ (particle board)				SuperPan® Natur EZ (special board)			FibraPan® Natur EZ (fibreboard)		
Quality	Thickness (mm)	2440x1220	2500x1220	3050x1220	2850x2100	2440x1220	2850x2100	3050x1220	2440x1220	3050x1220	2850x2100
EZ Standard	4								30		
	6								30	30	
	9	30			30				30		
	11	24		24	24				24	24	24
	13								24	24	
	16	24		24	24				24	24	24
	19	24	24	24	24	24	24	24	24	24	24
	23								24	24	
	26								18	18	
	31	18			18				18	18	18
	41								18	18	

		FibraColour® Black Natur EZ (mass-coloured fibreboard)		
Quality	Thickness (mm)	2440x1220	3050x1220	2850x2100
EZ Standard	11	24		
	13		24	
	19	24	24	
	20			24

		FinBlock Natur (slatted board)		FinPly Natur (poplar plywood)	FibraPan® 400 Natur (light board)	
Quality	Thickness (mm)	2500x1250	2800x2050	2500x1220	2440x1220	2850x2100
Standard	5			30		
	9			30		
	16	24		24		
	19	24	24	24		
	23	24				
	39					16
	41					18

		FimaPan® Natur Ignifugo EZ (particle board)	FibraPan® Natur Ignifugo EZ (fibreboard)		FibraColour® Black Ignifugo Natur EZ (mass-coloured fibreboard)
Quality	Thickness (mm)	3050x1220	2440x1220	3050x1220	2850x2100
Fire-retardant EZ	11		24	24	
	13		24	24	
	16		24	24	
	19	24	24	24	
	20				24
	31		18	18	

The veneers of the Natur range available as preferred in 2850x2100 mm and quality 035 are the following: Oak, Quarter Cut Oak, Chestnut, Walnut, Cherry, Maple, Ash, Quarter Cut Ash, Pine, Steamed Beech, White Beech and Quarter Cut Sapele.

Tabletting available for items with a grey background. Format 3050x1220 mm multiple of 2 boards. Format 2500x1220 and 2500x1250 mm multiple of 3 boards.

		FimaPan® Natur Hidrófugo EZ (particle board)		FibraPan® Natur Hidrófugo (fibreboard)			FinPly Natur BH (birch plywood board)	
Quality	Thickness (mm)	2440x1220		2440x1220	3050x1220	2500x1250	3050x1220	
Moisture-resistant EZ	11	24				30		
	17	24						
	20	24						
Moisture-resistant	10							
	11			24				
	16			24		24		
	19			24	24	24	24	
	25					18		

The following sheets are available as preferred in 2850x2100 mm and quality 035: Oak, Quarter Cut Oak, Chestnut, Walnut, Cherry, Maple, Ash, Quarter Cut Ash, Pine, Steamed Beech, White Beech and Quarter Cut Sapele.

Tabletting available for items with a grey background. Format 3050x1220 mm multiple of 2 boards. Format 2500x1220 and 2500x1250 mm multiple of 3 boards.

Studio Natur

		FimaPan® Natur EZ (particle board)			SuperPan® Natur EZ (special board)		FibraPan® Natur EZ (fibreboard)		FibraColour® Black Natur EZ (mass-coloured board)	
Quality	Thickness (mm)	2440x1220	2500x1220	3050x1220	2440x1220	3050x1220	2440x1220	3050x1220	2440x1220	3050x1220
EZ Standard	4						30			
	6						30	30		
	9	30					30			
	11	24		24			24	24	24	
	13						24	24		24
	16	24		24			24	24		
	19	24	24	24	24	24	24	24	24	24
	23						24	24		
	26						18	18		
	31	18					18	18		
	41	18					18	18		

		FibraPan® 400 Natur (light board)		FinBlock Natur (slatted board)		FinPly Natur (poplar plywood board)	
Quality	Thickness (mm)	2440x1220		2500x1220		2500x1220	
Standard	5					30	
	9					30	
	16			24		24	
	19			24		24	
	23			24			
	41	18					

Tabletting available for items with a grey background. Format 3050x1220 mm multiple of 2 boards. Format 2500x1220 and 2500x1250 mm multiple of 3 boards.

		FimaPan® Natur Hidrófugo EZ (particle board)
Quality	Thickness (mm)	2440x1220
Moisture-resistant EZ	11	24
	17	24
	20	24

		FibraPan® Natur Hidrófugo (fibreboard)		FinPly Natur BH (birch plywood board)	
Quality	Thickness (mm)	2440x1220	3050x1220	2500x1250	3050x1220
Moisture-resistant	10			24	
	11	24			
	16	24		24	
	19	24	24	24	24
	25			18	

		FimaPan® Natur Ignífugo EZ (particle board)	FibraPan® Natur Ignífugo EZ (fibreboard)	
Quality	Thickness (mm)	3050x1220	2440x1220	3050x1220
Fire-retardant EZ	11		24	24
	13		24	24
	16		24	24
	19	24	24	24
	31		18	18

Tabletting available for items with a grey background. Format 3050x1220 mm multiple of 2 boards.
Format 2500x1220 and 2500x1250 mm multiple of 3 boards.

Sense Natur

		SuperPan® Natur EZ (special board)
Quality	Thickness (mm)	3050x1220
EZ Standard	19	24

Availability of boards from one unit for items with a grey background.

FibraPan® Tex

			FibraPan® EZ Tex (fibreboard)							
Quality	Thickness (mm)	Format	Prisma	Mojave	Fuji	Flute	Pirámide	Cannettato	Yute	Carved
EZ Standard	19	2800x1220	20	20	20	20	20	20	20	20

Availability of boards from one unit for items with a grey background.

FibraPan® Natur Tex

			FibraPan® Natur EZ Tex (fibreboard)								
Quality	Thickness (mm)	Format	Roble Rigato Mojave	Nogal Merlot Mojave	Roble Rigato Fuji	Roble Rigato Cannettato	Nogal Merlot Cannettato	Roble Rigato Flute	Roble Rigato Yute	Roble Rigato Carved	Nogal Merlot Carved
EZ Standard	19	3000x1220	20	20	20	20	20	20	20	20	20

Availability of boards from one unit for items with a grey background.

FibraColour®

Quality	Thickness (mm)	Black EZ			Antracita EZ	Amarillo EZ	Azul EZ	Gris EZ	Rojo EZ
		2440x1220	3050x1220	2850x2100	2850x2100	2850x2100	2850x2100	2850x2100	2850x2100
EZ Standard	3			180					
	6			90					
	8			72					
	10	70		56					
	12	60	60						
	16	46		36					
	18	40	40						
	19	42		28	14	14	14	14	14
	25			24					
	30			20					
	38			16					

		FibraColour® Black Ign EZ (mass-coloured board)	
Quality	Thickness (mm)	2850x2100	3050x1220
Fire-retardant EZ	10	56	
	12		60
	16	36	
	18		40
	19	28	

		FibraColour® Black H EZ (mass-coloured board)
Quality	Thickness (mm)	2850x2100
Moisture-resistant EZ	19	28

Availability of boards from one unit for items with a grey background.

GreenPanel®

Quality	Thickness (mm)	GreenPanel® EZ	GreenPanel® Black EZ
		2850x2100	2850x2100
EZ Standard	28	25	
	38	18	18
	50	14	

Availability of boards from one unit for items with a grey background.

CompacDecor®

		CompacDecor® EZ
Quality	Thickness (mm)	2850x2100
EZ Standard	8	28
	12	22
	13	22

		CompacDecor® IGN EZ
Quality	Thickness (mm)	2850x2100
Fire-retardant EZ	8	28

Availability of boards from one unit for items with a grey background.

Availability of boards from one unit for items with grey background only for the preferred design combination.

Our particle based decorative surfaces are low formaldehyde emitting (< 0.05 ppm according to EN 717-1). Additionally, our EZ products are also low in formaldehyde emissions (<0.05 ppm according to EN 717-1) and have a Certificate of Conformity for compliance with the requirements of the US EPA TSCA Title VI and CARB Phase 2 for formaldehyde emissions.

Finsa Process

Transformed board

Fintop + 30 mm

Range	Description	Measurement (mm/gr)	Thickness (mm)	Pallet/unit	Picking/unit
Fintop + 30 mm	Standard width worktops	3660 x 630	30	12	-
	Non-standard width worktops	Width less than 630 (min 300 mm)	30	-	1
	Non-standard width worktops	Width 630 mm or more (max 1000 mm)	30	-	1

Accessories

Fintop + 30 mm	Edgebanding set design	Blister 10 ml			1
	90 degree joint profile				25
	Straight joint profile				25
	Lateral cover edgebanding finish				25
	Smooth top 45 degrees	3.95 ml			25
	Top cover				50
	Inner corner piece				100
	Outer corner piece				100

Conditions of service

Fintop +

- For picking orders we can mix Fintop + 38 mm, SQ and Xtrim to reach 12 units (as long as they are in picking).
- The edge trim does not come as standard with every countertop. The required number of units must be ordered.
- The minimum order quantity for picking is 12 units.

Fintop + 38 mm

Range	Description	Characteristics	Measurement (mm/gr)	Thickness (mm)	Pallet/unit	Picking/unit
Fintop + 38 mm	Worktop edge 1.5 mm ABS	SuperPan High Pro Generic back edge Coated counterface Protected with film	3660 x 630	38	12	12
	Non-standard width countertops		Width less than 630 (min 300 mm)	38	-	1
	Non-standard width countertops		Width equal to or greater than 630 (max. 1000 mm)	38	-	1

Accessories

Fintop + 30 mm	Edgebanding set design	Blister 10 ml	-	-	1
	90 degree joint profile		-	-	25
	Straight joint profile		-	-	25
	Lateral cover edgebanding finish		-	-	25
	Smooth top 45 degrees	3.95 ml	-	-	25
	Top cover		-	-	50
	Inner corner piece		-	-	100
	Outer corner piece		-	-	100

Conditions of service

Fintop + 38 mm

- Picking Orders: You can mix Fintop +, SQ, and Xtrim to reach the 12-unit minimum (provided they are available in picking).
- Splashbacks & Upstands: These must be ordered together with a worktop order.
- Worktop Minimums: The minimum order for worktops in picking is 12 units.
- Splashback Minimums: The minimum order for splashbacks in picking is 6 units per color, and they must always be accompanied by a worktop order.
- Upstand Minimums: The minimum order for upstands in picking is 12 units per color.
- Edging Strips: Edging is not included by default with each worktop. You must order the specific number of units required.
- Fintop SQ Postformed: Designs from the Fintop SQ postformed range can be ordered with a minimum of one pallet (12 units) per reference.

Fintop Xtrim

Range	Description	Measurement (mm/gr)	Thickness (mm)	Pallet/unit	Picking/unit
Fintop Xtrim	Postformed worktop 13 mm	3660 x 630	13	12	12
	Non-standard width worktops	Width less than 630 (min 300 mm)	13	-	1
	Non-standard width worktops	Width 630 mm or more (max 1000 mm)	13	-	1

Accessories

Fintop Xtrim	Edgebanding set design	2 ml x 19 mm wide	-	-	1
	90 degree joint profile		-	-	-
	Straight joint profile		-	-	-
	Connecting screw	20 ud.	-	-	-
	Sealant	25 ud.	-	-	-

Conditions of service

Fintop Xtrim

- For picking orders we can mix Fintop+, SQ and Xtrim to reach 12 units (as long as they are in picking).
- The minimum order quantity is 12 units (picking).
- The edge trim does not come as standard with every countertop. The required number of units must be ordered.

Fintop SQ

Range	Description	Characteristics	Measurement (mm/gr)	Thickness (mm)	Pallet/unit	Picking/unit
Fintop SQ	Worktop edge 1.5 mm ABS	SuperPan High Pro Generic back edge Coated counterface Protected with film	3660 x 630	38	12	12
	Non-standard width worktops		Width less than 630 (min 300 mm)	38	-	1
	Non-standard width worktops		Width equal to or greater than 630 (max. 1000 mm)	38	-	1

Accessories

Fintop SQ	Splashback edged 2 long sides	Edging on 2 long sides Protected with film	3660 x 630	16	6	6
	Worktop edgebanding 1.5 ABS set design		Blister 2 ml x 41 mm wide Industrial roll 100/150 ml	-	-	1
	Worktop edgebanding Testa 1.5 ABS available in selected designs		Blister 2 ml x 41 mm wide	-	-	1
	Splashback edgebanding 1.5 ABS set design		Blister 10 ml x 19 mm wide	-	-	1
	Upstand			16	12	12

Conditions of service

Fintop SQ

- Picking Orders: You can mix Fintop +, SQ, and Xtrim to reach the 12-unit minimum (provided they are available in picking).
- Splashbacks: These must be ordered together with a worktop order.
- Worktop Minimums: The minimum order for worktops in picking is 12 units.
- Splashback Minimums: The minimum order for splashbacks in picking is 6 units per color, and they must always be accompanied by a worktop order.
- Upstand Minimums: The minimum order for upstands in picking is 12 units per color.
- Edging: Edging is not included by default with each worktop. You must order the required number of units.
- Designs from the Fintop + 38 mm edged range can be ordered with a minimum of one pallet (12 units) per reference.

Edges

	10 lm Blister for thin edge finishing (ABS o Melamine)	10 lm Blister for thin edge finishing (ABS o Melamine)	2 lm Blister for 1.5mm ABS edge finishing
	Available in 35 or 45 mm (Subject to availability)	Available in 19 mm	Available in 41 mm
Fintop + 30 mm	x		
Fintop + 38 mm	x		x
Fintop SQ	x		
Fintop Xtrim		x	

Pro

	High	Height	Depth	Unit/Pallet	Parts X Floor
	700	150	580	38	2
	700	300	580	22	2
	700	350	580	22	2
	700	400	580	18	2
	700	450	580	18	2
	700	500	580	18	2
	700	600	580	18	2
	700	700	580	16	1
	700	800	580	16	1
	700	900	580	12	1
	700	1000	580	12	1
	700	1200	580	12	1
	800	150	580	38	2
	800	300	580	22	2
Low	800	350	580	22	2
	800	400	580	18	2
	800	450	580	18	2
	800	500	580	18	2
	800	600	580	18	2
	800	700	580	16	1
	800	800	580	16	1
	800	900	580	12	1
	800	1000	580	12	1
	800	1200	580	12	1
	700	450	580	26	2
	700	500	580	26	2
	700	600	580	26	2
	700	700	580	26	1
	700	800	580	17	1
	700	900	580	16	1
	700	1000	580	16	1
Sink	700	1200	580	16	1
	800	450	580	26	2
	800	500	580	26	2
	800	600	580	26	2
	800	700	580	28	1
	800	800	580	16	1
	800	900	580	16	1
	800	1000	580	16	1
	800	1200	580	16	1

	High	Height	Depth	Unit/Pallet	Parts X Floor
	700	600	580	26	2
Furnace	800	600	580	26	2
	700	930x930	580	9	1
	700	940x950	580	9	1
Low Corner Piece	700	1080x1080	580	9	1
	800	930x930	580	9	1
	800	940x950	580	9	1
	800	1080x1080	580	9	1
	2000	400	580	16	1
	2000	600	580	16	1
Pantry	2200	400	580	16	1
Column	2200	600	580	16	1
	2300	400	580	16	1
	2300	600	580	16	1
	2000	600	580	16	1
Oven Column Pant	2200	600	580	16	1
	2300	600	580	16	1
	2000	600	580	12	1
Oven+	2200	600	580	12	1
Microwave column	2300	600	580	12	1
	1300	600	580	12	1
Half-column H/M	1400	600	580	12	1
Rear Modules	2850	2100	6	20	
FimaPan®	2850	broken	16/19	50	
Decor Hidrófugo Boards					
Edgebanding PVC 0.4 mm	300/325ml B/A		19 mm	1	
Edgebanding PVC 1.0 mm	120/200ml B/A		19 mm	1	

Pro

	High	Height	Depth	Unit/Pallet	Parts X Floor
High Horizontal	350	600	330	48	3
	350	800	330	32	2
	350	900	330	32	2
	400	600	330	32	2
	400	800	330	32	2
	400	900	330	32	2
	450	600	330	32	1
	450	800	330	22	1
	450	900	330	22	1

High	700	300	330	36	3
	700	350	330	36	3
	700	400	330	36	3
	700	450	330	24	2
	700	500	330	24	2
	700	600	330	26	1
	700	700	330	16	1
	700	800	330	16	1
	700	900	330	16	1
	700	1000	330	16	1
	800	300	330	36	3
	800	350	330	36	3
	800	400	330	36	3
	800	450	330	16	1
	800	500	330	16	1
	800	600	330	16	1
	800	700	330	16	1
	800	800	330	16	1
	800	900	330	16	1
	800	1000	330	16	1
	900	300	330	24	2
	900	350	330	24	2
	900	400	330	24	2
	900	450	330	16	1
	900	500	330	16	1
	900	600	330	16	1
	900	700	330	16	1
	900	800	330	16	1
	900	900	330	16	1
	900	1000	330	16	1

	High	Height	Depth	Unit/Pallet	Parts X Floor
Above cooker hood	420	600	330	34	2
	620	600	330	34	2

Dish drainer	700	600	330	26	2
	700	800	330	17	1
	700	900	330	17	1
	900	600	330	13	1
	900	800	330	17	1
	900	900	330	17	1

High Corner	700	640	650	13	1
	700	630	630	13	1
	800	640	650	11	1
	800	630	630	11	1
	900	640	650	11	1
	900	630	630	11	1

Chamfered corner	700	590	600	18	2
	700	630	630	18	1
	900	590	600	11	1
	900	630	630	11	1

Kit 3 shelves Pant	367/362	500	16/19	68	4
	567/562	500	16/19	34	2

Base+Lid+ Fixed Shelf Kit	418	Various	16/19	68	2
	418	Various	16/19	34	2

Conditions of service

PRO

- Support: FimaPan® Decor H 16mm
- Available designs: Blanco Soft III / Merino Soft III
- Shipping minimums: Minimum 6 units per reference and 50 units per shipment.
- For more than 6 units, the quantity must be increased according to the conditions indicated in the "Units per Floor" column.

NO The PRO and MAX range cannot be mixed to reach the minimum of 50 units.

Max

	High	Height	Depth	Unit/Pallet	Parts X Floor
Low	800	150	580	28	2
	800	300	580	20	2
	800	350	580	20	2
	800	400	580	20	2
	800	450	580	16	2
	800	500	580	16	2
	800	600	580	16	2
	800	700	580	14	1
	800	800	580	14	1
	800	900	580	10	1
	800	1000	580	10	1
	800	1200	580	10	1
	Sink	800	450	580	22
800		500	580	22	2
800		600	580	22	2
800		700	580	22	2
800		800	580	14	1
800		900	580	14	1
800		1000	580	14	1
800		1200	580	14	1
Furnace		800	600	580	22
Low Corner Piece	800	930x930	580	8	1
	800	940x950	580	8	1
Pantry Column	2200	400	580	14	1
	2200	600	580	14	1
	2300	400	580	14	1
	2300	600	580	14	1
Oven+ Microwave column	2200	600	580	10	1
	2300	600	580	10	1
Half-column H/M	1400	600	580	10	1
Rear Modules FimaPan®	2850	2100	6	20	
Decor Hidrófugo Boards	2850	broken	16/19	50	
Edgebanding ABS0.4	225 m/roll		22 mm	1	
Edgebanding ABS1.0	100 m/roll		22 mm	1	

	High	Height	Depth	Unit/Pallet	Parts X Floor	
High Horizontal	400	600	330	28	2	
	400	800	330	20	1	
	400	900	330	20	1	
	450	600	330	28	2	
	450	800	330	14	1	
	450	900	330	20	1	
	600	600	330	28	1	
	600	800	330	14	1	
	600	900	330	14	1	
	High	800	300	330	30	3
		800	350	330	30	3
800		400	330	30	3	
800		450	330	14	1	
800		500	330	14	1	
800		600	330	14	1	
800		700	330	14	1	
800		800	330	14	1	
800		900	330	14	1	
800		1000	330	14	1	
900		300	330	20	2	
900		350	330	20	2	
900		400	330	20	2	
900		450	330	14	1	
900		500	330	14	1	
900		600	330	14	1	
900		700	330	14	1	
900	800	330	14	1		
900	900	330	14	1		
900	1000	330	14	1		
High Corner	800	640	650	10	1	
	800	630	630	10	1	
	900	640	650	10	1	
	900	630	630	10	1	
Kit 3 shelves Pant	367/362	500	16/19	90	2	
	567/562	500	16/19	60	2	

Conditions of service

MAX

- Support: FimaPan® Decor HIDRÓFUGO 19mm
- Available designs: Blanco Polar Soft III / Gris Gu Soft III
- Shipping minimums: Minimum 6 units per reference and 50 units per shipment.
- For more than 6 units, the quantity must be increased according to the conditions indicated in the column pieces per floor.

NO The PRO and MAX range cannot be mixed to reach the minimum of 50 units.